Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

SAFETY DATA SHEET



1.1 Product identifier	cation of the substance/mixture and of the company/undertaking
Product name	Magna SW D 220
Product code	468994-FR01
SDS no.	468994
Product type	Liquid.
1.2 Relevant identified uses	s of the substance or mixture and uses advised against
Use of the substance/	Lubricant.
mixture	For specific application advice see appropriate Technical Data Sheet or consult our company representative.
1.3 Details of the supplier of	of the safety data sheet
Supplier	Nordic Lubricants A/S
	Arne Jacobsens Alle 7, 5.
	2300 København S Denmark
	Telephone number: +45 70 80 70 56
	Fax number: +45 70 80 70 53
E-mail address	MSDSadvice@bp.com
1.4 Emergency telephone n	umber
EMERGENCY	Carechem: $\pm 44(0)$ 1235 230 670 (24/7)

1.4 Emergency telephone num	
EMERGENCY TELEPHONE NUMBER	Carechem: +44 (0) 1235 239 670 (24/7)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

2.2 Label elements

2.2 Laber elements		
Signal word	No signal word.	
Hazard statements	No known significant effects or critical hazards.	
Precautionary statements		
Prevention	Not applicable.	
Response	Not applicable.	
Storage	Not applicable.	
Disposal	Not applicable.	
Supplemental label elements	Contains Amines, C12-14-tert-alkyl. May produce an allergic reaction. Safety available on request.	data sheet
EU Regulation (EC) No. 1907	<u>7/2006 (REACH)</u>	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.	
Special packaging requireme	ents	
Product name Magna SW D 22	20 Product code 468994-FR01	Page: 1/10

Product name	Magna SW D 220		Product code	468994-FR01	Page: 1/10
Version 3	Date of issue 9 November 2017	Format	Denmark	Language	ENGLISH
			(Denmark)		

SECTION 2: Hazards		as amended by 0	ommission Regulation (EU) 20	15/830
Containers to be fitted with child-resistant fastenings	Not applicable.			
Tactile warning of danger	Not applicable.			
2.3 Other hazards				
Other hazards which do not result in classification	Defatting to the skin.			
SECTION 3: Compos	ition/information on ing	redients		
Substance/mixture	Mixture			
Highly refined base oil (IP 346	DMSO extract < 3%). Proprietary pe	erformance additive	S.	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Base oil - unspecified	Varies - See Key to abbreviations	≥90	Not classified.	[2]
	exposure limit a for PBT according to Regulation (E a for vPvB according to Regulation (ncern			

SECTION 4: First aid measures

4.1 Description of first aid me	easures
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treatment should in general be symptomatic and directed to relieving any effects.

SECTION 5: Firefighting measures		
5.1 Extinguishing media Suitable extinguishing	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.	
media		
Unsuitable extinguishing media	Do not use water jet.	
5.2 Special hazards arising fr	rom the substance or mixture	
Hazards from the substance or mixture	Swarf fires - Neat metal working oils may fume, thermally decompose or ignite if they come into contact with red hot swarf. To minimise the generation of red hot swarf ensure that a sufficient flow of oil is correctly directed to the cutting edge of the tool to flood it throughout cutting	

stance or mixture contact with red hot swarf. To minimise the generation of red hot swarf ensure that a sufficient flow of oil is correctly directed to the cutting edge of the tool to flood it throughout cutting operations. As an additional precaution swarf should be regularly cleared from the immediate area to prevent the risk of fire. In a fire or if heated, a pressure increase will occur and the container may burst.

ſ	Product name Magna SW D 220		Product code	468994-FR01	Page: 2/10	
	Version 3	Date of issue 9 November 2017	Format	Denmark	Language	ENGLISH
				(Denmark)		

SECTION 5: Firefighting measures

Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide)
5.3 Advice for firefighters	
Special precautions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, prot	ective equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for c	ontainment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures.
	See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Version 3 Date of issue 9	November 2017	Format Denmark	Language	ENGLISH
Product name Magna SW D 220		Product code 4	68994-FR01	Page: 3/10
7.3 Specific end use(s) Recommendations	See section 1.2 and Exposure scena	arios in annex, if applicabl	le.	
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regul from incompatible materials (see Se container tightly closed and sealed u be carefully resealed and kept uprig containers designed for use with this	ction 10). Keep away fror until ready for use. Contai ht to prevent leakage. Sto	m heat and direct s iners that have bee ore and use only in	unlight. Keep n opened must equipment/
Advice on general occupational hygiene	Eating, drinking and smoking should stored and processed. Wash thorou protective equipment before entering information on hygiene measures.	ughly after handling. Rem	ove contaminated	clothing and
Protective measures	Vut on appropriate personal protecti in enclosed spaces may result in the agitation or heating must be avoided tools will contaminate the fluid and r result in a penetration of the skin, fir possible. The presence of certain m and nickel, can contaminate the met allergic and other skin reactions, esp	e formation of explosive at d. During metal working, s nay cause abrasions of th st aid treatment should be etals in the workpiece or t talworking fluid, as can ba	tmospheres. Excession particles from e skin. Where such e applied as soon a tool, such as chrom loteria, and as a res	sive splashing, workpieces or h abrasions s reasonably ium, cobalt

(Denmark)

SECTION 8: Exposure	e controls/personal protection
3.1 Control parameters	
Occupational exposure limits	No exposure limit value known.
Product/ingredie	ent name Exposure limit values
Base oil - unspecified	Working Environment Authority (Denmark). TWA: 1 mg/m ³ 8 hours. Issued/Revised: 12/1996 Form: mist and particles
	n components may be shown in this section, other components may be present in any mist, efore, the specific OELs may not be applicable to the product as a whole and are provided for
Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemica agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Derived No Effect Level No DNELs/DMELs available.	
Predicted No Effect Concentr No PNECs available	<u>ation</u>
3.2 Exposure controls	
Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated Personal protective equipment should conform to appropriate standards, be suitable for use, kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection an appropriate standards. For further information contact your national organisation for standard The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.
Individual protection measure	—
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. For protection against metal working fluids, respiratory protection that is classified as "resistant to oil" (class R) or oil proof (class P) should be selected where appropriate. Depending on the level of airborne contaminants, an air-purifying, half-mask respirator (with HEPA filter) includin disposable (P- or R-series) (for oil mists less than 50mg/m3), or any powered, air-purifying respirator equipped with hood or helmet and HEPA filter (for oil mists less than 125 mg/m3). Where organic vapours are a potential hazard during metalworking operations, a combination particulate and organic vapour filter may be necessary. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.
Eye/face protection	Safety glasses with side shields.
Skin protection	
Hand protection	General Information:
	Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Most gloves provide protection for only a limited time before they must be discarded and replaced (even the best chemically resistant gloves will break down after repeated chemical exposures).

Gloves should be chosen in consultation with the supplier / manufacturer and taking account of

Product name	Magna SW D 220		Product code 4	468994-FR01	Page: 4/10
Version 3	Date of issue 9 November 2017	Format	Denmark	Language	ENGLISH
			(Denmark)		

SECTION 8: Exposure controls/personal protection

a full assessment of the working conditions.

Recommended: Nitrile gloves. **Breakthrough time:**

	Breakthrough time:
	Breakthrough time data are generated by glove manufacturers under laboratory test conditions and represent how long a glove can be expected to provide effective permeation resistance. It is important when following breakthrough time recommendations that actual workplace conditions are taken into account. Always consult with your glove supplier for up-to-date technical information on breakthrough times for the recommended glove type. Our recommendations on the selection of gloves are as follows:
	Continuous contact:
	Gloves with a minimum breakthrough time of 240 minutes, or >480 minutes if suitable gloves can be obtained. If suitable gloves are not available to offer that level of protection, gloves with shorter breakthrough times may be acceptable as long as appropriate glove maintenance and replacement regimes are determined and adhered to.
	Short-term / splash protection:
	Recommended breakthrough times as above. It is recognised that for short-term, transient exposures, gloves with shorter breakthrough times may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.
	Glove Thickness:
	For general applications, we recommend gloves with a thickness typically greater than 0.35 mm.
	It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387

ſ	Product name	Magna SW D 220		Product code	468994-FR01	Page: 5/10
	Version 3	Date of issue 9 November 2017	Format	Denmark	Language	ENGLISH
				(Denmark)		

SECTION 8: Exposure controls/personal protection

Environmental expo	sure
controls	

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	Liquid.
Colour	Brown.
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	Open cup: 240°C (464°F) [Cleveland.]
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or	Not available.
explosive limits	
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 15°C
Solubility(ies)	insoluble in water.
Partition coefficient: n-octanol/	Not available.
water	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 220 mm ² /s (220 cSt) at 40°C
Explosive properties	Not available.
Oxidising properties	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

	-
10.1 Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.
10.2 Chemical stability	The product is stable.
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
10.4 Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
10.5 Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Product name	Magna SW D 220	Product code	468994-FR01	Page: 6/10
Version 3	Date of issue 9 November 2017	Format Denmark	Language	ENGLISH
		(Denmark)		

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity estimates

	Route	ATE value
Not available.		
nformation on likely outes of exposure	Routes of entry anticipated: Dermal, Inhalation	ı.
Potential acute health effe	<u>cts</u>	
Inhalation	Vapour inhalation under ambient conditions is pressure.	not normally a problem due to low vapour
Ingestion	No known significant effects or critical hazards	S.
Skin contact	Defatting to the skin. May cause skin dryness	and irritation.
Eye contact	No known significant effects or critical hazards	S.
Symptoms related to the p	hysical, chemical and toxicological characterist	<u>ics</u>
Inhalation	No specific data.	
Ingestion	No specific data.	
Skin contact	Adverse symptoms may include the following: irritation dryness cracking	
Eye contact	No specific data.	
Delayed and immediate eff	fects as well as chronic effects from short and lo	ong-term exposure
Inhalation	Overexposure to the inhalation of airborne dro respiratory tract.	pplets or aerosols may cause irritation of the
Ingestion	Ingestion of large quantities may cause nause	a and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the s	kin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness i	f accidental eye contact occurs.
Potential chronic health ef	ffects	
General	No known significant effects or critical hazards	S.
Carcinogenicity	No known significant effects or critical hazards	5.
Mutagenicity	No known significant effects or critical hazards	S.
Developmental effects	No known significant effects or critical hazards	5.
Fertility effects	No known significant effects or critical hazards	

SECTION 12: Ecological information

12.1 Toxicity Environmental hazards

Not classified as dangerous

12.2 Persistence and degradability

Expected to be biodegradable.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.
12.5 Results of PBT and vPvB a	issessment

PBT	Not applicable.
vPvB	Not applicable.

12.6 Other adverse effects

Other ecological information

Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

ľ	Product name	Magna SW D 220		Product code	468994-FR01	Page: 7/10
	Version 3	Date of issue 9 November 2017	Format	Denmark	Language	ENGLISH
				(Denmark)		

SECTION 13: Disposal considerations

Yes.

13.1 Waste treatment methods

Product

Methods of disposal

Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Hazardous waste

Methods of disposal

European waste catalogue (EWC)

Waste code	Waste designation
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

Packaging

Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Waste code European waste catalogue (EWC)		
15 01 10* packaging containing residues of or contaminated by hazardous substances		packaging containing residues of or contaminated by hazardous substances
Special precautions		This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Denmark	 Waste group 	A

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for Not available. user

14.7 Transport in bulkNot available.according to Annex II ofMarpol and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)						
<u>Annex XIV - L</u>	ist of substance	<u>s subject to authorisation</u>				
Substances	of very high cor	icern				
None of the	components are	listed.				
Other regulation	ons					
REACH Statu	S	The company, as identified in Securrent requirements of REACH.	· ·	s this product ir	n the EU in compliand	e with the
United States (TSCA 8b)	inventory	All components are listed or exe	mpted.			
Product name	Magna SW D 220			Product code	468994-FR01	Page: 8/10
Version 3	Date of issue 9 N	lovember 2017	Format	Denmark	Language	ENGLISH

(Denmark)

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

SECTION 15: Regulatory information

Australia inventory (AICS)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
National regulations	
Product registration number	# 039894
List of undesirable substances	Not listed

15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms	ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
	ADR = The European Agreement concerning the International Carriage of Dangerous Goods b
	Road
	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	CAS = Chemical Abstracts Service
	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment
	CSR = Chemical Safety Report
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EINECS = European Inventory of Existing Commercial chemical Substances
	ES = Exposure Scenario
	EUH statement = CLP-specific Hazard statement
	EWC = European Waste Catalogue
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	OECD = Organisation for Economic Co-operation and Development
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	[Regulation (EC) No. 1907/2006]
	RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
	RRN = REACH Registration Number
	SADT = Self-Accelerating Decomposition Temperature
	SVHC = Substances of Very High Concern
	STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
	STOT-SE = Specific Target Organ Toxicity - Single Exposure
	TWA = Time weighted average
	UN = United Nations UVCB = Complex hydrocarbon substance
	VOC = Volatile Organic Compound
	vPvB = Very Persistent and Very Bioaccumulative
	Varies = may contain one or more of the following 101316-69-2 / RRN 01-2119486948-13,
	101316-70-5, 101316-71-6, 101316-72-7 / RRN 01-2119489969-06, 64741-88-4 / RRN
	01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN
	01-2119487081-40, 64741-96-4/ RRN 01-2119483621-38, 64741-97-5 / RRN
	01-2119480374-36, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN
	01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN
Product name Magna SW D 220	0 Product code 468994-FR01 Page: 9/10
Flouder name Magna GW B 22	

Product name	Magna SW D 220		Product code 46	68994-FR01	Page: 9/10)
Version 3	Date of issue 9 November 2017	Format	Denmark	Langua	ge ENGLISH	
			(Denmark)			

SECTION 16: Other information

	01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN 01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN 01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8, 64742-64-9, 64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 / RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN 01-2119474889-13, 74869-22-0 / RRN 01-2119495601-36, 90669-74-2 / RRN 01-2119970171-43
Full text of abbreviated H statements	Not applicable.
Full text of classifications [CLP/GHS]	Not applicable.
<u>History</u>	
Date of issue/ Date of revision	09/11/2017.
Date of previous issue	04/11/2016.
Prepared by	Product Stewardship
Indicates information that	has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Magna SW D 220		Product code	468994-FR01	Page: 10/10	
Version 3	Date of issue 9 November 2017	Format	Denmark	Language	ENGLISH
			(Denmark)		