

M WILHELMSEN A/s

PIX LAWN & GARDEN BELTS



Lawn & Garden Belts

Also known as Dry Cover Belts used in lawn Mowers, Available in Kevlar / Aramid Cord Construction.....

Århus

86 150 111

Herlev

44 521 352

Vejle

75 820 288



PIX manufacture a dedicated range of belts specifically designed to withstand the rigours of Grass Machinery applications. Such has been the success of these products that PIX is the first choice for many of the “blue chip” manufacturers in the Lawn and Garden industry.

Features & Benefits

Belts have large diameter ARAMID (Kevlar) cords, impregnated with special compound which eliminates the need for re-tensioning and offers:

- High Tensile Strength
- Non-extensibility
- High Resistance to shock loads

I Belts are covered with a double wrap of special fabric to ensure:

- High resistance to wear and tear
- Reduced slippage while clutching I

Belt Characteristics

- Able to withstand high level of reverse flexing
- Usually associated with “serpentine” drives, and external idler placement
- High resistance to oil, heat and cracking


Available in standard sections – 3L, 4L and 5L

3L SECTION BELTS

Wrapped V-Belts : Blue Dry-Cover, Kevlar Belts - Standard : RMA IP 23

Features :

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing
- High resistance to oil, heat and cracking



| Belt Ref | Outside Length (inches) | La (mm) |
|---------------|-------------------------|---------|
| DRYB-3L-K-110 | 11 | 279 |
| DRYB-3L-K-120 | 12 | 305 |
| DRYB-3L-K-130 | 13 | 330 |
| DRYB-3L-K-140 | 14 | 356 |
| DRYB-3L-K-150 | 15 | 381 |
| DRYB-3L-K-160 | 16 | 406 |
| DRYB-3L-K-170 | 17 | 432 |
| DRYB-3L-K-180 | 18 | 432 |
| DRYB-3L-K-190 | 19 | 457 |
| DRYB-3L-K-200 | 20 | 508 |
| DRYB-3L-K-210 | 21 | 533 |
| DRYB-3L-K-220 | 22 | 559 |
| DRYB-3L-K-230 | 23 | 584 |
| DRYB-3L-K-235 | 24 | 597 |
| DRYB-3L-K-240 | 24 | 610 |
| DRYB-3L-K-250 | 25 | 635 |
| DRYB-3L-K-260 | 26 | 660 |
| DRYB-3L-K-270 | 27 | 686 |
| DRYB-3L-K-280 | 28 | 711 |
| DRYB-3L-K-290 | 29 | 737 |
| DRYB-3L-K-295 | 30 | 749 |
| DRYB-3L-K-300 | 30 | 762 |
| DRYB-3L-K-310 | 31 | 787 |
| DRYB-3L-K-315 | 32 | 800 |
| DRYB-3L-K-320 | 32 | 813 |
| DRYB-3L-K-330 | 33 | 838 |
| DRYB-3L-K-340 | 34 | 864 |
| DRYB-3L-K-350 | 35 | 889 |
| DRYB-3L-K-355 | 36 | 902 |
| DRYB-3L-K-360 | 36 | 914 |

| Belt Ref | Outside Length (inches) | La (mm) |
|---------------|-------------------------|---------|
| DRYB-3L-K-365 | 37 | 927 |
| DRYB-3L-K-370 | 37 | 940 |
| DRYB-3L-K-380 | 38 | 965 |
| DRYB-3L-K-385 | 39 | 978 |
| DRYB-3L-K-390 | 39 | 991 |
| DRYB-3L-K-400 | 40 | 1016 |
| DRYB-3L-K-405 | 41 | 1029 |
| DRYB-3L-K-410 | 41 | 1041 |
| DRYB-3L-K-415 | 42 | 1054 |
| DRYB-3L-K-420 | 42 | 1067 |
| DRYB-3L-K-430 | 43 | 1092 |
| DRYB-3L-K-440 | 44 | 1118 |
| DRYB-3L-K-450 | 45 | 1143 |
| DRYB-3L-K-460 | 46 | 1168 |
| DRYB-3L-K-470 | 47 | 1194 |
| DRYB-3L-K-480 | 48 | 1219 |
| DRYB-3L-K-490 | 49 | 1245 |
| DRYB-3L-K-500 | 50 | 1270 |
| DRYB-3L-K-510 | 51 | 1295 |
| DRYB-3L-K-520 | 52 | 1321 |
| DRYB-3L-K-530 | 53 | 1346 |
| DRYB-3L-K-540 | 54 | 1372 |
| DRYB-3L-K-550 | 55 | 1397 |
| DRYB-3L-K-560 | 56 | 1422 |
| DRYB-3L-K-570 | 57 | 1448 |
| DRYB-3L-K-580 | 58 | 1473 |
| DRYB-3L-K-590 | 59 | 1499 |
| DRYB-3L-K-600 | 60 | 1524 |
| DRYB-3L-K-610 | 61 | 1549 |
| DRYB-3L-K-620 | 62 | 1575 |


| Belt Ref | Outside Length (inches) | La (mm) |
|---------------|-------------------------|---------|
| DRYB-3L-K-630 | 63 | 1600 |
| DRYB-3L-K-640 | 64 | 1626 |
| DRYB-3L-K-650 | 65 | 1651 |
| DRYB-3L-K-660 | 66 | 1676 |
| DRYB-3L-K-670 | 67 | 1702 |
| DRYB-3L-K-680 | 68 | 1727 |
| DRYB-3L-K-690 | 69 | 1753 |
| DRYB-3L-K-700 | 70 | 1778 |
| DRYB-3L-K-710 | 71 | 1803 |
| DRYB-3L-K-720 | 72 | 1829 |
| DRYB-3L-K-730 | 73 | 1854 |
| DRYB-3L-K-740 | 74 | 1880 |
| DRYB-3L-K-750 | 75 | 1905 |
| DRYB-3L-K-760 | 76 | 1930 |
| DRYB-3L-K-770 | 77 | 1956 |
| DRYB-3L-K-780 | 78 | 1981 |
| DRYB-3L-K-790 | 79 | 2007 |

4L SECTION BELTS

Wrapped V-Belts : Blue Dry-Cover, Kevlar Belts - Standard : RMA IP 23

Features :

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing



| Belt Ref | Outside Length (inches) | La (mm) |
|---------------|-------------------------|---------|
| DRYB-4L-K-170 | 17.0 | 432 |
| DRYB-4L-K-180 | 18.0 | 457 |
| DRYB-4L-K-190 | 19.0 | 483 |
| DRYB-4L-K-200 | 20.0 | 508 |
| DRYB-4L-K-210 | 21.0 | 533 |
| DRYB-4L-K-215 | 21.5 | 546 |
| DRYB-4L-K-220 | 22.0 | 559 |
| DRYB-4L-K-230 | 23.0 | 584 |
| DRYB-4L-K-240 | 24.0 | 610 |
| DRYB-4L-K-250 | 25.0 | 635 |
| DRYB-4L-K-260 | 26.0 | 660 |
| DRYB-4L-K-270 | 27.0 | 686 |
| DRYB-4L-K-280 | 28.0 | 711 |
| DRYB-4L-K-290 | 29.0 | 737 |
| DRYB-4L-K-295 | 29.5 | 749 |
| DRYB-4L-K-300 | 30.0 | 762 |
| DRYB-4L-K-305 | 30.5 | 775 |
| DRYB-4L-K-310 | 31.0 | 787 |
| DRYB-4L-K-315 | 31.5 | 800 |
| DRYB-4L-K-320 | 32.0 | 813 |
| DRYB-4L-K-325 | 32.5 | 826 |
| DRYB-4L-K-330 | 33.0 | 838 |
| DRYB-4L-K-335 | 33.5 | 851 |
| DRYB-4L-K-340 | 34.0 | 864 |
| DRYB-4L-K-345 | 34.5 | 876 |
| DRYB-4L-K-350 | 35.0 | 889 |
| DRYB-4L-K-355 | 35.5 | 902 |
| DRYB-4L-K-360 | 36.0 | 914 |
| DRYB-4L-K-370 | 37.0 | 940 |
| DRYB-4L-K-375 | 37.5 | 953 |
| DRYB-4L-K-380 | 38.0 | 965 |
| DRYB-4L-K-390 | 39.0 | 991 |
| DRYB-4L-K-395 | 39.5 | 1003 |


| Belt Ref | Outside Length (inches) | La (mm) |
|---------------|-------------------------|---------|
| DRYB-4L-K-400 | 40.0 | 1016 |
| DRYB-4L-K-405 | 40.5 | 1029 |
| DRYB-4L-K-410 | 41.0 | 1041 |
| DRYB-4L-K-420 | 42.0 | 1067 |
| DRYB-4L-K-425 | 42.5 | 1080 |
| DRYB-4L-K-430 | 43.0 | 1092 |
| DRYB-4L-K-440 | 44.0 | 1118 |
| DRYB-4L-K-450 | 45.0 | 1143 |
| DRYB-4L-K-455 | 45.5 | 1156 |
| DRYB-4L-K-460 | 46.0 | 1168 |
| DRYB-4L-K-470 | 47.0 | 1194 |
| DRYB-4L-K-480 | 48.0 | 1219 |
| DRYB-4L-K-490 | 49.0 | 1245 |
| DRYB-4L-K-495 | 49.5 | 1257 |
| DRYB-4L-K-500 | 50.0 | 1270 |
| DRYB-4L-K-510 | 51.0 | 1295 |
| DRYB-4L-K-520 | 52.0 | 1321 |
| DRYB-4L-K-530 | 53.0 | 1346 |
| DRYB-4L-K-540 | 54.0 | 1372 |
| DRYB-4L-K-550 | 55.0 | 1397 |
| DRYB-4L-K-560 | 56.0 | 1422 |
| DRYB-4L-K-570 | 57.0 | 1448 |
| DRYB-4L-K-580 | 58.0 | 1473 |
| DRYB-4L-K-590 | 59.0 | 1499 |
| DRYB-4L-K-600 | 60.0 | 1524 |
| DRYB-4L-K-610 | 61.0 | 1549 |
| DRYB-4L-K-620 | 62.0 | 1575 |
| DRYB-4L-K-630 | 63.0 | 1600 |
| DRYB-4L-K-640 | 64.0 | 1626 |
| DRYB-4L-K-650 | 65.0 | 1651 |
| DRYB-4L-K-660 | 66.0 | 1676 |
| DRYB-4L-K-665 | 66.5 | 1689 |
| DRYB-4L-K-670 | 67.0 | 1702 |

4L SECTION BELTS

Wrapped V-Belts : Blue Dry-Cover, Kevlar Belts - Standard : RMA IP 23

Features :

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing



| Belt Ref | Outside Length (inches) | La (mm) |
|---------------|-------------------------|---------|
| DRYB-4L-K-680 | 68.0 | 1727 |
| DRYB-4L-K-690 | 69.0 | 1753 |
| DRYB-4L-K-700 | 70.0 | 1778 |
| DRYB-4L-K-710 | 71.0 | 1803 |
| DRYB-4L-K-720 | 72.0 | 1829 |
| DRYB-4L-K-730 | 73.0 | 1854 |
| DRYB-4L-K-740 | 74.0 | 1880 |
| DRYB-4L-K-750 | 75.0 | 1905 |
| DRYB-4L-K-760 | 76.0 | 1930 |
| DRYB-4L-K-770 | 77.0 | 1956 |
| DRYB-4L-K-780 | 78.0 | 1981 |
| DRYB-4L-K-785 | 78.5 | 1994 |
| DRYB-4L-K-790 | 79.0 | 2007 |
| DRYB-4L-K-800 | 80.0 | 2032 |
| DRYB-4L-K-810 | 81.0 | 2057 |
| DRYB-4L-K-820 | 82.0 | 2083 |
| DRYB-4L-K-830 | 83.0 | 2108 |
| DRYB-4L-K-840 | 84.0 | 2134 |
| DRYB-4L-K-850 | 85.0 | 2159 |
| DRYB-4L-K-860 | 86.0 | 2184 |
| DRYB-4L-K-870 | 87.0 | 2210 |
| DRYB-4L-K-880 | 88.0 | 2235 |
| DRYB-4L-K-885 | 88.5 | 2248 |
| DRYB-4L-K-890 | 89.0 | 2261 |
| DRYB-4L-K-895 | 89.5 | 2273 |
| DRYB-4L-K-900 | 90.0 | 2286 |
| DRYB-4L-K-905 | 90.5 | 2299 |
| DRYB-4L-K-910 | 91.0 | 2311 |
| DRYB-4L-K-920 | 92.0 | 2337 |
| DRYB-4L-K-925 | 92.5 | 2350 |
| DRYB-4L-K-930 | 93.0 | 2362 |
| DRYB-4L-K-940 | 94.0 | 2388 |
| DRYB-4L-K-950 | 95.0 | 2413 |


| Belt Ref | Outside Length (inches) | La (mm) |
|----------------|-------------------------|---------|
| DRYB-4L-K-950 | 95.0 | 2413 |
| DRYB-4L-K-960 | 96.0 | 2438 |
| DRYB-4L-K-970 | 97.0 | 2464 |
| DRYB-4L-K-980 | 98.0 | 2489 |
| DRYB-4L-K-990 | 99.0 | 2515 |
| DRYB-4L-K-995 | 99.5 | 2527 |
| DRYB-4L-K-1000 | 100.0 | 2540 |
| DRYB-4L-K-1010 | 101.0 | 2565 |
| DRYB-4L-K-1020 | 102.0 | 2591 |
| DRYB-4L-K-1030 | 103.0 | 2616 |
| DRYB-4L-K-1040 | 104.0 | 2642 |
| DRYB-4L-K-1045 | 104.5 | 2654 |
| DRYB-4L-K-1050 | 105.0 | 2667 |
| DRYB-4L-K-1060 | 106.0 | 2692 |
| DRYB-4L-K-1070 | 107.0 | 2718 |
| DRYB-4L-K-1080 | 108.0 | 2743 |
| DRYB-4L-K-1110 | 111.0 | 2819 |
| DRYB-4L-K-1120 | 112.0 | 2845 |
| DRYB-4L-K-1130 | 113.0 | 2870 |
| DRYB-4L-K-1160 | 116.0 | 2946 |
| DRYB-4L-K-1200 | 120.0 | 3048 |
| DRYB-4L-K-1260 | 126.0 | 3200 |
| DRYB-4L-K-1390 | 139.0 | 3531 |
| DRYB-4L-K-1580 | 158.0 | 4013 |

5L SECTION BELTS

Wrapped V-Belts : Blue Dry-Cover, Kevlar Belts - Standard : RMA IP 23

Features :

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing
- High resistance to oil, heat and cracking




| Belt Ref | Outside Length (inches) | La (mm) |
|---------------|-------------------------|---------|
| DRYB-5L-K-230 | 23 | 584 |
| DRYB-5L-K-240 | 24 | 610 |
| DRYB-5L-K-250 | 25 | 635 |
| DRYB-5L-K-260 | 26 | 660 |
| DRYB-5L-K-270 | 27 | 686 |
| DRYB-5L-K-280 | 28 | 711 |
| DRYB-5L-K-290 | 29 | 737 |
| DRYB-5L-K-300 | 30 | 762 |
| DRYB-5L-K-310 | 31 | 787 |
| DRYB-5L-K-320 | 32 | 813 |
| DRYB-5L-K-330 | 33 | 838 |
| DRYB-5L-K-340 | 34 | 864 |
| DRYB-5L-K-350 | 35 | 889 |
| DRYB-5L-K-360 | 36 | 914 |
| DRYB-5L-K-370 | 37 | 940 |
| DRYB-5L-K-380 | 38 | 965 |
| DRYB-5L-K-390 | 39 | 991 |
| DRYB-5L-K-400 | 40 | 1016 |
| DRYB-5L-K-410 | 41 | 1041 |
| DRYB-5L-K-415 | 41.5 | 1054 |
| DRYB-5L-K-420 | 42 | 1067 |
| DRYB-5L-K-430 | 43 | 1092 |
| DRYB-5L-K-440 | 44 | 1118 |
| DRYB-5L-K-450 | 45 | 1143 |
| DRYB-5L-K-460 | 46 | 1168 |
| DRYB-5L-K-470 | 47 | 1194 |
| DRYB-5L-K-480 | 48 | 1219 |
| DRYB-5L-K-490 | 49 | 1245 |
| DRYB-5L-K-500 | 50 | 1270 |
| DRYB-5L-K-510 | 51 | 1295 |
| DRYB-5L-K-520 | 52 | 1321 |
| DRYB-5L-K-530 | 53 | 1346 |
| DRYB-5L-K-540 | 54 | 1372 |

| Belt Ref | Outside Length (inches) | La (mm) |
|---------------|-------------------------|---------|
| DRYB-5L-K-550 | 55 | 1397 |
| DRYB-5L-K-560 | 56 | 1422 |
| DRYB-5L-K-570 | 57 | 1448 |
| DRYB-5L-K-580 | 58 | 1473 |
| DRYB-5L-K-590 | 59 | 1499 |
| DRYB-5L-K-600 | 60 | 1524 |
| DRYB-5L-K-610 | 61 | 1549 |
| DRYB-5L-K-620 | 62 | 1575 |
| DRYB-5L-K-630 | 63 | 1600 |
| DRYB-5L-K-640 | 64 | 1626 |
| DRYB-5L-K-650 | 65 | 1651 |
| DRYB-5L-K-660 | 66 | 1676 |
| DRYB-5L-K-670 | 67 | 1702 |
| DRYB-5L-K-680 | 68 | 1727 |
| DRYB-5L-K-690 | 69 | 1753 |
| DRYB-5L-K-700 | 70 | 1778 |
| DRYB-5L-K-710 | 71 | 1803 |
| DRYB-5L-K-720 | 72 | 1829 |
| DRYB-5L-K-730 | 73 | 1854 |
| DRYB-5L-K-740 | 74 | 1880 |
| DRYB-5L-K-750 | 75 | 1905 |
| DRYB-5L-K-760 | 76 | 1930 |
| DRYB-5L-K-770 | 77 | 1956 |
| DRYB-5L-K-780 | 78 | 1981 |
| DRYB-5L-K-790 | 79 | 2007 |
| DRYB-5L-K-800 | 80 | 2032 |
| DRYB-5L-K-810 | 81 | 2057 |
| DRYB-5L-K-820 | 82 | 2083 |
| DRYB-5L-K-830 | 83 | 2108 |
| DRYB-5L-K-840 | 84 | 2134 |
| DRYB-5L-K-850 | 85 | 2159 |
| DRYB-5L-K-860 | 86 | 2184 |
| DRYB-5L-K-870 | 87 | 2210 |

| Belt Ref | Outside Length (inches) | La (mm) |
|----------------|-------------------------|---------|
| DRYB-5L-K-880 | 88 | 2235 |
| DRYB-5L-K-890 | 89 | 2261 |
| DRYB-5L-K-900 | 90 | 2286 |
| DRYB-5L-K-910 | 91 | 2311 |
| DRYB-5L-K-920 | 92 | 2337 |
| DRYB-5L-K-930 | 93 | 2362 |
| DRYB-5L-K-940 | 94 | 2388 |
| DRYB-5L-K-950 | 95 | 2413 |
| DRYB-5L-K-960 | 96 | 2438 |
| DRYB-5L-K-970 | 97 | 2464 |
| DRYB-5L-K-980 | 98 | 2489 |
| DRYB-5L-K-990 | 99 | 2515 |
| DRYB-5L-K-1000 | 100 | 2540 |
| DRYB-5L-K-1010 | 101 | 2565 |
| DRYB-5L-K-1020 | 102 | 2591 |
| DRYB-5L-K-1030 | 103 | 2616 |
| DRYB-5L-K-1040 | 104 | 2642 |
| DRYB-5L-K-1050 | 105 | 2667 |
| DRYB-5L-K-1060 | 106 | 2692 |
| DRYB-5L-K-1070 | 107 | 2718 |
| DRYB-5L-K-1080 | 108 | 2743 |
| DRYB-5L-K-1090 | 109 | 2769 |
| DRYB-5L-K-1100 | 110 | 2794 |

OTHER CATALOGUES



Kileremme katalog



**Tandremskive
Katalog**



**Modulstanghjul
Katalog**



Produktkatalog



**Olietætnings
Katalog**



**Befæstigelse
Katalog**